



HOT FINISHED SEAMLESS TUBING - CARBON/ALLOY

SPECIFICATIONS

ASTM A105/ASME SA105
ASTM A106/ASME SA106
ASTM A333 Grd 1/6
ASME SA333 Grd 1/6
ASTM A519
API 5CT K55
API 5CT N80
API 5CT L80
API 5CT C95
API 5CT P110
API 5CT Q125
NACE MR-01-75
DIN 1629
DIN 17121



GRADE DESCRIPTION

| | |
|------|------------|
| 1010 | 4140H |
| 1018 | 4142 |
| 1026 | 4142H |
| 4130 | 4145 (Mod) |
| 4140 | 8620 |
| | ST52-3 |



HEAT TREATMENT

Normalized
Quenched & Tempered
Normalized, Quenched & Tempered
Stress Relieved Annealed
Full Annealed

SPECIAL FEATURES

A333 1/6 SA333 1/6
Low-temp charpy material
Can be mitre cut
Minimum yield product from
50,000 - 100,000 PSI





Tubular Steel Inc.

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|--------|--------|--------|---------|--------|--------|--------|---------|
| 1.375" | .250" | .875" | 3.00 | 3.250" | .375" | 2.500" | 11.51 |
| 1.500" | .188" | 1.124" | 2.64 | | .438" | 2.374" | 13.15 |
| 1.625" | .375" | .875" | 5.01 | | .500" | 2.250" | 14.70 |
| 2.000" | .500" | 1.000" | 8.01 | | .625" | 2.000" | 17.52 |
| 2.250" | .500" | 1.250" | 9.35 | | .750" | 1.750" | 20.00 |
| | .625" | 1.000" | 10.85 | | 1.000" | 1.250" | 24.00 |
| 2.375" | .154" | 2.067" | 3.65 | 3.375" | .375" | 2.625" | 12.02 |
| | .218" | 1.939" | 5.02 | | .406" | 2.563" | 12.87 |
| | .343" | 1.689" | 7.44 | | .500" | 2.375" | 15.35 |
| | .436" | 1.503" | 9.03 | | .625" | 2.125" | 18.36 |
| | .500" | 1.375" | 10.01 | | .750" | 1.875" | 21.03 |
| | .625" | 1.125" | 11.68 | 3.500" | .156" | 3.188" | 5.57 |
| 2.500" | .375" | 1.750" | 8.51 | | .188" | 3.124" | 6.65 |
| | .500" | 1.500" | 10.68 | | .216" | 3.068" | 7.58 |
| | .563" | 1.408" | 11.65 | | .250" | 3.000" | 8.70 |
| | .625" | 1.250" | 12.52 | | .300" | 2.900" | 10.25 |
| | .750" | 1.000" | 14.02 | | .375" | 2.750" | 12.52 |
| 2.625" | .375" | 1.875" | 9.01 | | .438" | 2.624" | 14.30 |
| | .500" | 1.625" | 11.35 | | .500" | 2.500" | 16.00 |
| | .625" | 1.375" | 13.35 | | .600" | 2.300" | 18.58 |
| 2.750" | .500" | 1.750" | 12.02 | | .625" | 2.250" | 19.19 |
| | .563" | 1.548" | 13.13 | | .750" | 2.000" | 22.00 |
| | .625" | 1.500" | 14.18 | | .875" | 1.750" | 24.53 |
| | .750" | 1.250" | 16.02 | | 1.000" | 1.500" | 26.70 |
| 2.875" | .203" | 2.469" | 5.79 | 3.625" | .250" | 3.125" | 9.01 |
| | .276" | 2.323" | 7.66 | 3.750" | .375" | 3.000" | 13.52 |
| | .375" | 2.125" | 10.01 | | .500" | 2.750" | 17.40 |
| | .552" | 1.771" | 13.69 | | .625" | 2.500" | 20.86 |
| | .750" | 1.375" | 17.02 | | .750" | 2.250" | 24.00 |
| | .875" | 1.125" | 18.69 | | 1.000" | 1.750" | 29.40 |
| 3.000" | .375" | 2.250" | 10.50 | 3.875" | .438" | 2.999" | 16.08 |
| | .438" | 2.124" | 11.98 | 4.000" | .226" | 3.548" | 9.11 |
| | .500" | 2.000" | 13.40 | | .250" | 3.500" | 10.02 |
| | .625" | 1.750" | 15.85 | | .318" | 3.364" | 12.50 |
| | .750" | 1.500" | 18.00 | | .375" | 3.250" | 14.52 |
| | 1.000" | 1.000" | 21.40 | | .500" | 3.000" | 18.70 |
| 3.125" | .375" | 2.375" | 11.01 | | .625" | 2.750" | 22.53 |
| | .500" | 2.125" | 14.02 | | .636" | 2.728" | 22.85 |
| | .625" | 1.875" | 16.69 | | .750" | 2.500" | 26.00 |
| | .750" | 1.625" | 19.02 | | .875" | 2.250" | 29.20 |



HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|----------------|--------|--------|---------|--------|--------|--------|---------|
| 4.000" (cont.) | 1.000" | 2.000" | 32.00 | 5.000" | .375" | 4.250" | 18.50 |
| | 1.125" | 1.750" | 34.54 | | .438" | 4.124" | 21.34 |
| | 1.188" | 1.624" | 35.68 | | .500" | 4.000" | 24.00 |
| | 1.250" | 1.500" | 36.70 | | .550" | 3.900" | 26.14 |
| 4.250" | .375" | 3.375" | 15.52 | | .625" | 3.750" | 29.20 |
| | .469" | 3.312" | 18.94 | | .750" | 3.500" | 34.00 |
| | .500" | 3.250" | 20.00 | | .875" | 3.250" | 38.55 |
| | .625" | 3.000" | 24.20 | | 1.000" | 3.000" | 42.70 |
| | .750" | 2.750" | 28.00 | | 1.125" | 2.750" | 46.56 |
| | .875" | 2.500" | 31.54 | | 1.250" | 2.500" | 50.06 |
| | 1.000" | 2.250" | 34.70 | | 1.500" | 2.000" | 56.10 |
| | 1.125" | 2.000" | 37.55 | | 5.250" | .375" | 4.500" |
| 1.250" | 1.750" | 40.05 | .500" | 4.250" | | 25.40 | |
| 4.375" | .625" | 3.125" | 25.03 | .625" | | 4.000" | 30.87 |
| | 4.500" | .219" | 4.062" | 10.01 | | .750" | 3.750" |
| .237" | | 4.026" | 10.79 | .875" | | 3.500" | 40.88 |
| .312" | | 3.875" | 13.96 | 1.000" | | 3.250" | 45.40 |
| .337" | | 3.826" | 14.98 | 1.125" | 3.000" | 49.56 | |
| .375" | | 3.750" | 16.52 | 1.250" | 2.750" | 53.40 | |
| .437" | | 3.626" | 18.96 | 1.500" | 2.250" | 60.10 | |
| .500" | | 3.500" | 21.36 | 5.500" | .375" | 4.750" | 20.53 |
| .531" | | 3.438" | 22.51 | | .500" | 4.500" | 26.70 |
| .625" | | 3.250" | 25.87 | | .625" | 4.250" | 32.54 |
| .674" | | 3.152" | 27.54 | | .750" | 4.000" | 38.00 |
| .750" | | 3.000" | 30.00 | | .875" | 3.750" | 43.22 |
| .875" | | 2.750" | 33.88 | | 1.000" | 3.500" | 48.10 |
| 1.000" | 2.500" | 37.40 | 1.125" | 3.250" | 52.57 | | |
| 1.125" | 2.250" | 40.55 | 1.250" | 3.000" | 56.70 | | |
| 1.250" | 2.000" | 43.30 | 1.500" | 2.500" | 64.10 | | |
| 4.750" | 1.500" | 1.500" | 48.10 | 5.562" | .258" | 5.047" | 14.62 |
| | .375" | 4.000" | 17.52 | | .312" | 4.939" | 17.50 |
| | .438" | 3.874" | 20.17 | | .375" | 4.813" | 20.78 |
| | .500" | 3.750" | 22.70 | | .500" | 4.563" | 27.04 |
| | .625" | 3.500" | 27.50 | .625" | 4.313" | 32.96 | |
| | .750" | 3.250" | 32.00 | .750" | 4.063" | 38.55 | |
| | .875" | 3.000" | 36.21 | 5.750" | .375" | 5.000" | 21.53 |
| | 1.000" | 2.750" | 40.10 | | .500" | 4.750" | 28.04 |
| | 1.250" | 2.250" | 46.70 | | .625" | 4.500" | 34.20 |
| | 1.500" | 1.750" | 52.10 | | .750" | 4.250" | 40.10 |



Tubular Steel Inc.

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|----------------|--------|--------|---------|----------------|--------|--------|---------|
| 5.750" (cont.) | 1.000" | 3.750" | 50.70 | 6.625" (cont.) | 1.286" | 4.053" | 73.33 |
| | 1.125" | 3.500" | 55.57 | | 6.750" | .375" | 6.000" |
| | 1.250" | 3.250" | 60.10 | .500" | | 5.750" | 33.40 |
| | 1.500" | 2.750" | 68.10 | .625" | | 5.500" | 40.90 |
| 6.000" | .375" | 5.250" | 22.53 | .750" | | 5.250" | 47.10 |
| | .500" | 5.000" | 29.40 | 1.000" | | 4.750" | 61.40 |
| | .625" | 4.750" | 35.90 | 1.250" | | 4.250" | 73.40 |
| | .750" | 4.500" | 42.10 | 1.500" | | 3.750" | 84.10 |
| | .875" | 4.250" | 47.89 | 1.625" | 3.500" | 88.94 | |
| | 1.000" | 4.000" | 53.40 | 7.000" | .312" | 6.376" | 22.30 |
| | 1.250" | 3.500" | 63.40 | | .375" | 6.250" | 26.53 |
| | 1.375" | 3.250" | 67.92 | | .500" | 6.000" | 34.70 |
| | 1.500" | 3.000" | 72.10 | | .625" | 5.750" | 42.60 |
| | 1.750" | 2.500" | 79.53 | | .750" | 5.500" | 50.10 |
| | 2.000" | 2.000" | 85.40 | | 1.000" | 5.000" | 64.10 |
| 6.250" | .375" | 5.500" | 23.53 | | 1.250" | 4.500" | 76.80 |
| | .500" | 5.250" | 30.71 | 1.375" | 4.250" | 82.60 | |
| | .625" | 5.000" | 37.50 | 1.500" | 4.000" | 88.10 | |
| | .750" | 4.750" | 44.10 | 2.000" | 3.000" | 106.80 | |
| | 1.000" | 4.250" | 56.10 | 7.250" | .375" | 6.500" | 27.53 |
| | 1.250" | 3.750" | 66.80 | | .500" | 6.250" | 36.00 |
| | 1.500" | 3.250" | 76.10 | | .625" | 6.000" | 44.20 |
| 6.500" | .375" | 5.750" | 24.53 | | .750" | 5.750" | 52.10 |
| | .500" | 5.500" | 32.04 | 1.000" | 5.250" | 66.80 | |
| | .625" | 5.250" | 39.22 | 1.250" | 4.750" | 80.10 | |
| | .750" | 5.000" | 46.06 | 1.375" | 4.500" | 86.27 | |
| | 1.000" | 4.500" | 58.70 | 1.500" | 4.250" | 92.10 | |
| | 1.250" | 4.000" | 70.10 | 7.500" | .375" | 6.750" | 28.54 |
| | 1.500" | 3.500" | 80.10 | | .500" | 6.500" | 37.40 |
| | 2.000" | 2.500" | 96.10 | | .625" | 6.250" | 45.90 |
| 6.625" | .250" | 6.125" | 17.00 | | .750" | 6.000" | 54.10 |
| | .280" | 6.085" | 18.90 | | .875" | 5.750" | 61.91 |
| | .344" | 5.937" | 23.10 | 1.000" | 5.500" | 69.40 | |
| | .375" | 5.875" | 25.00 | 1.125" | 5.250" | 76.60 | |
| | .432" | 5.761" | 28.60 | 1.250" | 5.000" | 83.40 | |
| | .562" | 5.500" | 36.40 | 1.500" | 4.500" | 96.10 | |
| | .718" | 5.188" | 45.30 | 2.000" | 3.500" | 117.50 | |
| | .864" | 4.897" | 53.20 | 7.625" | .375" | 6.875" | 29.00 |
| | 1.000" | 4.625" | 60.08 | | .500" | 6.625" | 38.00 |
| | 1.125" | 4.375" | 66.10 | | .750" | 6.125" | 55.07 |
| | 1.250" | 4.125" | 71.76 | | | | |



HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|---------------|--------|--------|---------|----------------|--------|--------|---------|
| 7.625 (cont.) | .875" | 5.875" | 63.10 | 8.250" (cont.) | 1.625" | 5.000" | 114.98 |
| | 1.000" | 5.625" | 70.80 | | 1.750" | 4.750" | 121.49 |
| | 1.250" | 5.125" | 85.10 | | 2.000" | 4.250" | 133.50 |
| | 1.500" | 4.625" | 98.12 | | 2.500" | 3.250" | 146.85 |
| | 1.750" | 4.125" | 109.80 | 8.500" | .500" | 7.500" | 42.70 |
| | 2.000" | 3.625" | 120.15 | | .625" | 7.250" | 52.57 |
| 7.656" | .688" | 5.267" | 51.20 | | .750" | 7.000" | 62.10 |
| | 7.750" | .375" | 7.000" | | 29.54 | 1.000" | 6.500" |
| .500" | | 6.750" | 38.70 | | 1.125" | 6.250" | 88.61 |
| .750" | | 6.250" | 56.10 | | 1.250" | 6.000" | 96.79 |
| .875" | | 6.000" | 64.25 | 1.500" | 5.500" | 112.10 | |
| 1.000" | | 5.750" | 72.10 | 1.750" | 5.000" | 126.20 | |
| 1.125" | | 5.500" | 79.60 | 2.000" | 4.500" | 138.80 | |
| 1.250" | | 5.250" | 86.80 | 2.250" | 4.000" | 150.20 | |
| 1.375" | | 5.000" | 93.62 | 2.500" | 3.500" | 160.20 | |
| 1.500" | | 4.750" | 100.10 | 8.625" | .250" | 8.125" | 22.40 |
| 1.625" | | 4.500" | 106.30 | | .277" | 8.071" | 24.70 |
| 1.750" | 4.250" | 112.14 | .322" | | 7.981" | 28.60 | |
| 2.000" | 3.750" | 122.80 | .375" | | 7.875" | 33.00 | |
| 8.000" | .375" | 7.250" | 30.50 | | .406" | 7.813" | 35.60 |
| | .500" | 7.000" | 40.10 | | .500" | 7.625" | 43.40 |
| | .625" | 6.750" | 49.20 | | .593" | 7.438" | 50.90 |
| | .750" | 6.500" | 58.10 | | .718" | 7.188" | 60.60 |
| | .875" | 6.250" | 66.58 | | .750" | 7.125" | 63.08 |
| | 1.000" | 6.000" | 74.80 | | .812" | 7.000" | 67.80 |
| | 1.063" | 5.874" | 78.75 | .875" | 6.875" | 72.40 | |
| | 1.188" | 5.624" | 86.43 | .906" | 6.812" | 74.70 | |
| | 1.250" | 5.500" | 90.10 | 1.000" | 6.625" | 81.40 | |
| | 1.375" | 5.250" | 97.29 | 1.125" | 6.375" | 90.10 | |
| | 1.500" | 5.000" | 104.10 | 1.143" | 6.339" | 91.33 | |
| | 1.750" | 4.500" | 116.80 | 1.250" | 6.125" | 98.50 | |
| | 2.000" | 4.000" | 128.20 | 1.375" | 6.000" | 106.47 | |
| | 2.250" | 3.500" | 138.20 | 1.430" | 5.890" | 109.88 | |
| 2.500" | 3.000" | 146.85 | 1.500" | 5.625" | 114.10 | | |
| 8.250" | .500" | 7.250" | 41.40 | 1.750" | 5.125" | 128.50 | |
| | .625" | 7.000" | 50.90 | 2.000" | 4.625" | 141.50 | |
| | .750" | 6.750" | 60.10 | 2.125" | 4.375" | 147.52 | |
| | 1.000" | 6.250" | 77.40 | 8.750" | .375" | 8.000" | 33.54 |
| | 1.250" | 5.750" | 93.50 | | .500" | 7.750" | 44.10 |
| | 1.375" | 5.500" | 100.96 | | .625" | 7.500" | 52.23 |
| 1.500" | 5.250" | 108.10 | .750" | | 7.250" | 64.10 | |



Tubular Steel Inc.

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. | |
|----------------|--------|--------|---------|----------------|--------|--------|---------|--------|
| 8.750" (cont.) | 1.000" | 6.750" | 82.80 | 9.625" (cont.) | .875" | 7.875" | 81.80 | |
| | 1.125" | 6.500" | 91.61 | | 1.250" | 7.125" | 111.80 | |
| | 1.250" | 6.250" | 100.10 | | 1.500" | 6.625" | 130.20 | |
| | 9.000" | 1.500" | 5.750" | 116.10 | 9.750" | .500" | 8.750" | 49.40 |
| | | 1.750" | 5.250" | 130.80 | | .750" | 8.250" | 72.10 |
| | | 2.000" | 4.750" | 144.18 | | 1.000" | 7.750" | 93.50 |
| | | 2.250" | 4.250" | 156.20 | | 1.250" | 7.250" | 133.50 |
| | | 2.500" | 3.750" | 166.18 | | 1.375" | 7.000" | 122.99 |
| 9.250" | | .500" | 8.000" | 45.40 | | 1.500" | 6.750" | 132.20 |
| | | .625" | 7.750" | 55.90 | | 1.750" | 6.250" | 149.50 |
| | | .750" | 7.500" | 66.10 | | 1.875" | 6.000" | 157.70 |
| | 1.000" | 7.000" | 85.40 | 2.000" | 5.750" | 165.54 | | |
| | 1.125" | 6.750" | 94.62 | 2.250" | 5.250" | 180.20 | | |
| | 1.250" | 6.500" | 103.50 | 2.500" | 4.750" | 193.58 | | |
| | 1.500" | 6.000" | 120.20 | 10.000" | .375" | 9.250" | 38.50 | |
| | 1.750" | 5.500" | 135.50 | | .500" | 9.000" | 50.70 | |
| | 2.000" | 5.000" | 149.50 | | .625" | 8.750" | 62.60 | |
| | 2.250" | 4.500" | 162.20 | | .750" | 8.500" | 74.10 | |
| | 2.500" | 4.000" | 173.60 | | 1.000" | 8.000" | 96.10 | |
| | 3.000" | 3.000" | 192.20 | | 1.125" | 7.750" | 106.63 | |
| | 9.250" | .500" | 8.250" | | 46.70 | 1.250" | 7.500" | 116.80 |
| | | .625" | 8.000" | 57.57 | 1.500" | 7.000" | 136.20 | |
| .750" | | 7.750" | 68.10 | 1.750" | 6.500" | 154.00 | | |
| 1.000" | | 7.250" | 88.10 | 2.000" | 6.000" | 170.00 | | |
| 1.250" | | 6.750" | 97.60 | 2.250" | 5.500" | 186.20 | | |
| 1.500" | | 6.250" | 124.20 | 2.500" | 5.000" | 200.30 | | |
| 1.750" | | 5.750" | 140.20 | 3.000" | 4.000" | 224.30 | | |
| 2.000" | | 5.250" | 154.90 | 10.250" | .500" | 9.250" | 52.10 | |
| 2.250" | | 4.750" | 168.20 | | .625" | 9.000" | 64.25 | |
| 2.500" | | 4.250" | 180.20 | | .750" | 8.750" | 76.10 | |
| 9.500" | .500" | 8.500" | 48.10 | | 1.000" | 8.250" | 98.80 | |
| | .750" | 8.000" | 70.10 | 1.250" | 7.750" | 120.20 | | |
| | 1.000" | 7.500" | 90.80 | 1.500" | 7.250" | 140.20 | | |
| | 1.250" | 7.000" | 110.10 | 1.750" | 6.750" | 158.90 | | |
| | 1.500" | 6.500" | 128.20 | 2.000" | 6.250" | 176.20 | | |
| | 1.750" | 6.000" | 144.80 | 2.250" | 5.750" | 192.20 | | |
| | 2.000" | 5.500" | 160.20 | 2.500" | 5.250" | 206.90 | | |
| | 2.250" | 5.000" | 174.20 | 10.500" | .500" | 9.500" | 53.40 | |
| | 2.500" | 4.500" | 186.90 | | .750" | 9.000" | 78.10 | |
| | 9.625" | .500" | 8.625" | | 48.70 | 1.000" | 8.500" | 101.50 |



HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|-----------------|--------|---------|---------|-----------------|---------|---------|---------|
| 10.500" (cont.) | 1.250" | 8.000" | 123.50 | 11.000" (cont.) | 3.000" | 5.000" | 256.30 |
| | 1.500" | 7.500" | 144.20 | | 11.250" | .500" | 10.250" |
| | 1.750" | 7.000" | 163.50 | .625" | | 10.000" | 70.92 |
| | 2.000" | 6.500" | 181.60 | .750" | | 9.750" | 84.10 |
| | 2.500" | 5.500" | 213.60 | 1.000" | | 9.250" | 109.50 |
| | 2.750" | 5.000" | 227.60 | 1.250" | | 8.750" | 133.50 |
| | 3.000" | 4.500" | 240.30 | 1.500" | | 8.250" | 156.20 |
| 10.625" | 1.750" | 7.125" | 165.87 | 1.750" | 7.750" | 177.60 | |
| 10.750" | .279" | 10.192" | 31.20 | 2.000" | 7.250" | 197.60 | |
| | .307" | 10.136" | 34.20 | 2.250" | 6.750" | 216.30 | |
| | .365" | 10.020" | 40.50 | 2.500" | 6.250" | 233.60 | |
| | .406" | 9.938" | 44.90 | 11.500" | .375" | 10.750" | 44.56 |
| | .438" | 9.874" | 48.20 | | .500" | 10.500" | 58.70 |
| | .500" | 9.750" | 54.70 | | .625" | 10.250" | 72.59 |
| | .562" | 9.626" | 61.20 | | .750" | 10.000" | 86.10 |
| | .593" | 9.564" | 64.40 | | 1.000" | 9.500" | 112.10 |
| | .686" | 9.376" | 73.70 | | 1.250" | 9.000" | 136.80 |
| | .718" | 9.312" | 76.90 | | 1.500" | 8.500" | 160.20 |
| | .843" | 9.064" | 89.20 | | 1.750" | 8.000" | 182.20 |
| | 1.000" | 8.750" | 104.10 | | 2.000" | 7.500" | 202.90 |
| | 1.125" | 8.500" | 115.60 | | 2.250" | 7.000" | 222.30 |
| | 1.143" | 8.464" | 117.28 | | 2.375" | 6.750" | 231.46 |
| | 1.250" | 8.250" | 126.80 | | 2.500" | 6.500" | 240.30 |
| | 1.438" | 7.874" | 143.00 | | 2.750" | 6.000" | 257.00 |
| | 1.500" | 7.750" | 148.20 | 3.000" | 5.500" | 272.30 | |
| | 1.750" | 7.250" | 168.20 | 11.750" | .375" | 11.000" | 45.50 |
| | 2.000" | 6.750" | 186.90 | | .500" | 10.750" | 60.10 |
| | 2.250" | 6.250" | 204.26 | | .750" | 10.250" | 88.10 |
| | 2.500" | 5.750" | 220.30 | | 1.000" | 9.750" | 114.80 |
| | 3.000" | 4.750" | 248.31 | | 1.250" | 9.250" | 140.20 |
| 10.875" | 1.250" | 8.375" | 128.49 | | 1.430" | 8.890" | 129.48 |
| 11.000" | .500" | 10.000" | 56.10 | 1.500" | 8.750" | 164.20 | |
| | .625" | 9.750" | 69.30 | 1.625" | 8.500" | 175.72 | |
| | .750" | 9.500" | 82.10 | 1.714" | 8.322" | 183.71 | |
| | 1.000" | 9.000" | 106.80 | 1.750" | 8.250" | 186.90 | |
| | 1.250" | 8.500" | 130.20 | 2.000" | 7.750" | 208.30 | |
| | 1.500" | 8.000" | 152.20 | 2.250" | 7.250" | 228.30 | |
| | 1.750" | 7.500" | 172.90 | 2.500" | 6.750" | 247.00 | |
| | 2.000" | 7.000" | 192.20 | 12.000" | .375" | 11.250" | 46.60 |
| | 2.250" | 6.500" | 210.30 | | .500" | 11.000" | 61.40 |
| | 2.500" | 6.000" | 227.00 | | .625" | 10.750" | 75.92 |
| | 2.750" | 5.500" | 242.30 | | | | |
| | | | | | | | |



Tubular Steel Inc.

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. | |
|-----------------|--------|---------|---------|----------------|---------|---------|---------|--------|
| 12.000" (cont.) | .750" | 10.500" | 90.10 | 12.750"(cont.) | 1.500" | 9.750" | 180.20 | |
| | 1.000" | 10.000" | 117.50 | | 1.625" | 9.500" | 193.10 | |
| | 1.250" | 9.500" | 143.50 | | 1.750" | 9.250" | 205.60 | |
| | 1.500" | 9.000" | 168.20 | | 2.000" | 8.750" | 229.60 | |
| | 1.750" | 8.500" | 191.60 | | 2.500" | 7.750" | 237.70 | |
| | 2.000" | 8.000" | 213.60 | | 3.000" | 6.750" | 312.39 | |
| | 2.250" | 7.500" | 234.30 | | 13.000" | .500" | 12.000" | 66.75 |
| | 2.500" | 7.000" | 253.70 | | | .750" | 11.500" | 98.10 |
| | 3.000" | 6.000" | 288.40 | | | 1.000" | 11.000" | 128.20 |
| 12.250" | .500" | 11.250" | 62.75 | 1.250" | | 10.500" | 156.90 | |
| | .750" | 10.750" | 92.10 | 1.500" | | 10.000" | 184.20 | |
| | 1.000" | 10.250" | 120.20 | 1.750" | | 9.500" | 210.30 | |
| | 1.250" | 9.750" | 146.80 | 2.000" | | 9.000" | 235.00 | |
| | 1.500" | 9.250" | 172.20 | 2.250" | | 8.500" | 258.30 | |
| | 1.750" | 8.750" | 196.20 | 2.500" | | 8.000" | 280.40 | |
| | 2.000" | 8.250" | 218.90 | 2.750" | 7.500" | 300.90 | | |
| | 2.500" | 7.250" | 259.70 | 3.000" | 7.000" | 320.40 | | |
| | 2.750" | 6.750" | 279.02 | 13.375" | .500" | 12.375" | 68.80 | |
| 12.500" | .500" | 11.500" | 64.08 | | .625" | 12.125" | 85.11 | |
| | .750" | 11.000" | 94.10 | | .750" | 11.875" | 101.10 | |
| | 1.000" | 10.500" | 122.80 | | 1.000" | 11.375" | 132.20 | |
| | 1.250" | 10.000" | 150.20 | | 1.250" | 10.875" | 161.90 | |
| | 1.500" | 9.500" | 176.20 | | 1.500" | 10.375" | 190.20 | |
| | 1.750" | 9.000" | 200.90 | | 1.750" | 9.875" | 217.27 | |
| | 2.000" | 8.500" | 224.30 | | 2.000" | 9.375" | 243.00 | |
| | 2.250" | 8.000" | 246.30 | | 2.500" | 8.375" | 290.40 | |
| | 2.750" | 7.000" | 286.40 | 14.000" | .250" | 13.500" | 36.70 | |
| 3.000" | 6.500" | 304.40 | .281" | | 13.438" | 41.20 | | |
| 12.750" | .312" | 12.125" | 41.60 | | .312" | 13.376" | 45.60 | |
| | .330" | 12.090" | 43.80 | | .344" | 13.312" | 50.20 | |
| | .375" | 12.000" | 49.60 | | .375" | 13.250" | 54.60 | |
| | .406" | 11.938" | 53.50 | | .438" | 13.124" | 63.40 | |
| | .500" | 11.750" | 65.40 | | .500" | 13.000" | 72.10 | |
| | .562" | 11.626" | 73.20 | | .562" | 12.875" | 80.70 | |
| | .687" | 11.376" | 88.50 | | .593" | 12.814" | 84.90 | |
| | .750" | 11.250" | 96.10 | .687" | 12.626" | 97.70 | | |
| | .843" | 11.064" | 107.20 | .750" | 12.500" | 106.10 | | |
| | 1.000" | 10.750" | 125.50 | .844" | 12.312" | 118.60 | | |
| | 1.125" | 10.500" | 139.70 | .937" | 12.125" | 130.70 | | |
| | 1.312" | 10.125" | 160.30 | 1.093" | 11.814" | 150.70 | | |



HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|----------------|--------|---------|---------|---------|---------|---------|---------|
| 14.000 (cont.) | 1.250" | 11.500" | 170.20 | 16.000" | .250" | 14.400" | 42.10 |
| | 1.406" | 11.188" | 189.10 | | .312" | 15.376" | 52.30 |
| | 1.500" | 11.000" | 200.30 | | .375" | 15.250" | 62.60 |
| | 1.656" | 10.688" | 218.30 | | .438" | 15.124" | 72.80 |
| | 1.715" | 10.570" | 225.01 | | .500" | 15.000" | 82.80 |
| | 1.750" | 10.500" | 229.00 | | .562" | 14.875" | 92.70 |
| | 2.000" | 10.000" | 256.30 | | .656" | 14.688" | 107.50 |
| | 2.250" | 9.500" | 282.40 | | .843" | 14.312" | 136.50 |
| | 2.500" | 9.000" | 307.10 | | 1.031" | 13.938" | 164.80 |
| | 3.000" | 8.000" | 352.40 | | 1.218" | 13.564" | 192.30 |
| 14.375" | .500" | 13.375" | 74.09 | 1.438" | 13.124" | 223.60 | |
| | .750" | 12.875" | 109.10 | 1.593" | 12.814" | 245.10 | |
| | 1.000" | 12.375" | 142.80 | 1.750" | 12.500" | 266.30 | |
| | 1.250" | 11.875" | 175.20 | 2.000" | 12.000" | 299.00 | |
| | 1.500" | 11.375" | 206.30 | 2.250" | 11.500" | 330.40 | |
| | 1.625" | 11.125" | 221.30 | 2.500" | 11.000" | 360.50 | |
| | 1.750" | 10.875" | 235.90 | 2.750" | 10.500" | 389.20 | |
| | 2.000" | 10.375" | 264.30 | 3.000" | 10.000" | 416.50 | |
| | 2.250" | 9.875" | 291.40 | 4.000" | 8.000" | 512.64 | |
| | 2.500" | 9.375" | 317.10 | 16.500" | 1.000" | 14.500" | 165.54 |
| 2.750" | 8.875" | 341.40 | 1.500" | | 13.500" | 240.30 | |
| 3.000" | 8.375" | 364.46 | 2.000" | | 12.500" | 309.72 | |
| 15.000" | .500" | 14.000" | 77.40 | 2.500" | 11.500" | 373.80 | |
| | .750" | 13.500" | 114.10 | 3.000" | 10.500" | 432.54 | |
| | 1.000" | 13.000" | 149.50 | 17.000" | .500" | 16.000" | 88.10 |
| | 1.250" | 12.500" | 183.60 | | .625" | 15.750" | 109.30 |
| | 1.500" | 12.000" | 216.30 | | .750" | 15.500" | 130.20 |
| | 1.750" | 11.500" | 247.60 | | 1.000" | 15.000" | 170.90 |
| | 2.000" | 11.000" | 277.70 | | 1.075" | 14.850" | 182.80 |
| | 2.250" | 10.500" | 306.40 | | 1.250" | 14.500" | 210.30 |
| | 2.500" | 10.000" | 333.80 | | 1.500" | 14.000" | 248.30 |
| | 2.750" | 9.500" | 359.80 | | 2.000" | 13.000" | 320.40 |
| 3.000" | 9.000" | 384.50 | 2.250" | | 12.500" | 354.40 | |
| 4.000" | 7.000" | 469.92 | 2.500" | | 12.000" | 387.20 | |
| 15.500" | 1.000" | 13.500" | 154.86 | 3.000" | 11.000" | 448.60 | |
| | 1.250" | 13.000" | 190.24 | 4.000" | 9.000" | 555.40 | |
| | 1.500" | 12.500" | 224.28 | 18.000" | .250" | 17.500" | 47.40 |
| | 1.750" | 12.000" | 256.99 | | .281" | 17.438" | 53.20 |
| | 2.000" | 11.500" | 288.36 | | .312" | 17.376" | 58.90 |
| | 2.500" | 10.500" | 347.10 | | .375" | 17.250" | 70.60 |
| 3.000" | 9.500" | 400.50 | .406" | | 17.188" | 76.30 | |



Tubular Steel Inc.

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|------------------------|---------|---------|---------|------------------------|----------------|---------|---------|
| 18.000" (cont.) | .438" | 17.124" | 82.20 | 20.000" (cont.) | .594" | 18.814" | 123.10 |
| | .500" | 17.000" | 93.50 | | .625" | 18.750" | 129.30 |
| | .562" | 16.876" | 104.70 | | .688" | 18.624" | 141.90 |
| | .625" | 16.750" | 115.90 | | .750" | 18.500" | 154.20 |
| | .750" | 16.500" | 138.20 | | .812" | 18.375" | 166.40 |
| | .937" | 16.126" | 170.80 | | 1.000" | 18.000" | 202.90 |
| | 1.000" | 16.000" | 181.60 | | 1.031" | 17.938" | 208.90 |
| | 1.156" | 15.688" | 208.00 | | 1.281" | 17.440" | 256.10 |
| | 1.375" | 15.250" | 244.10 | | 1.500" | 17.000" | 296.40 |
| | 1.562" | 14.875" | 274.20 | | 1.750" | 16.500" | 341.10 |
| | 1.781" | 14.438" | 308.50 | | 1.968" | 16.064" | 379.00 |
| | 2.000" | 14.000" | 341.80 | | 2.250" | 15.500" | 426.50 |
| | 2.250" | 13.500" | 378.50 | | 2.500" | 15.000" | 467.30 |
| | 2.500" | 13.000" | 413.90 | | 2.750" | 14.500" | 506.60 |
| | 2.750" | 12.500" | 447.90 | | 3.000" | 14.000" | 544.70 |
| | 3.000" | 12.000" | 480.60 | | 4.000" | 12.000" | 683.50 |
| | 4.000" | 10.000" | 598.10 | | 21.000" | .500" | 20.000" |
| 18.500" | 1.250" | 16.000" | 230.29 | .750" | | 19.500" | 162.20 |
| | 1.500" | 15.500" | 272.39 | .834" | | 19.332" | 179.62 |
| | 1.750" | 15.000" | 313.06 | 1.000" | | 19.000" | 213.60 |
| | 2.000" | 14.500" | 352.44 | 1.250" | | 18.500" | 263.70 |
| 19.000" | .500" | 18.000" | 98.80 | 1.500" | 18.000" | 312.40 | |
| | .750" | 17.500" | 146.20 | 1.750" | 17.500" | 359.80 | |
| | 1.000" | 17.000" | 192.20 | 2.000" | 17.000" | 405.80 | |
| | 1.250" | 16.500" | 237.00 | 2.500" | 16.000" | 494.00 | |
| | 1.500" | 16.000" | 280.40 | 3.000" | 15.000" | 576.70 | |
| | 1.750" | 15.500" | 322.40 | 4.000" | 13.000" | 726.20 | |
| | 2.000" | 15.000" | 363.10 | 22.000" | .250" | 21.500" | 58.10 |
| | 2.250" | 14.500" | 402.50 | | .312" | 21.376" | 72.30 |
| | 2.500" | 14.000" | 440.60 | | .375" | 21.250" | 86.60 |
| | 3.000" | 13.000" | 512.60 | | .500" | 21.000" | 114.80 |
| 4.000" | 11.000" | 640.80 | .625" | | 20.750" | 142.70 | |
| 20.000" | .250" | 19.500" | 52.70 | | .688" | 20.624" | 156.60 |
| | .281" | 19.438" | 59.20 | | .750" | 20.500" | 170.20 |
| | .312" | 19.376" | 65.60 | .875" | 20.250" | 197.40 | |
| | .344" | 19.312" | 72.20 | 1.000" | 20.000" | 224.30 | |
| | .375" | 19.250" | 78.60 | 1.250" | 19.500" | 277.00 | |
| | .438" | 19.124" | 91.50 | 1.500" | 19.000" | 328.40 | |
| | .500" | 19.000" | 104.10 | 2.000" | 18.000" | 427.20 | |
| | .562" | 18.876" | 116.70 | 2.500" | 17.000" | 520.70 | |



HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

HOT FINISHED SEAMLESS TUBING-CARBON/ALLOY

| O.D. | WALL | I.D. | WT./FT. | O.D. | WALL | I.D. | WT./FT. |
|-----------------|--------|---------|---------|----------------|---------|---------|---------|
| 22.000" (cont.) | 3.000" | 16.000" | 608.80 | 24.000"(cont.) | .968" | 22.064" | 238.10 |
| | 4.000" | 14.000" | 769.00 | | 1.218" | 21.563" | 296.60 |
| 23.000" | .750" | 21.500" | 178.20 | 1.531" | 20.938" | 367.40 | |
| | 1.000" | 21.000" | 235.00 | 1.812" | 20.375" | 429.40 | |
| | 1.500" | 20.000" | 344.40 | 2.062" | 19.875" | 483.10 | |
| | 2.000" | 19.000" | 448.60 | 2.343" | 19.314" | 542.10 | |
| | 2.500" | 18.000" | 547.40 | 3.000" | 18.000" | 672.80 | |
| | 3.000" | 17.000" | 640.80 | 4.000" | 16.000" | 854.40 | |
| | 4.000" | 15.000" | 811.70 | 26.000" | .344" | 25.312" | 94.30 |
| 24.000" | .250" | 23.500" | 63.40 | | .375" | 25.250" | 102.60 |
| | .281" | 23.438" | 71.20 | | .438" | 25.124" | 119.60 |
| | .312" | 23.376" | 78.90 | | .500" | 25.000" | 136.20 |
| | .375" | 23.250" | 94.60 | | .625" | 24.750" | 169.40 |
| | .438" | 23.125" | 110.20 | | .750" | 24.500" | 202.30 |
| | .500" | 23.000" | 125.50 | | .812" | 24.376" | 218.40 |
| | .562" | 22.876" | 140.70 | | .937" | 24.126" | 250.80 |
| | .625" | 22.750" | 156.00 | | 1.500" | 23.000" | 392.50 |
| | .687" | 22.626" | 171.10 | | 2.000" | 22.000" | 512.60 |
| | .750" | 22.500" | 186.20 | | 2.500" | 21.000" | 627.45 |
| | .812" | 22.376" | 201.10 | | 3.000" | 20.000" | 736.90 |
| | .937" | 22.125" | 230.80 | | | | |